

Enderis Park Bird Watching Club - Bird Checklist

Symbols used in this list are defined as follows:

Sp - Spring - March to May

Su - Summer - June to August

F - Fall - September to November

W - Winter - December to February



| | X | Date | Location | Environment |
|-----------------------------|----------|------|----------|-------------|
| LOONS | | | | |
| Common Sp.F.W | | | | |
| Red-throated Sp.F.W | | | | |
| GREBES | | | | |
| Horned Sp.F.W | | | | |
| Eared Sp.F.W | | | | |
| Pied-billed Sp.Su.F.W | | | | |
| CORMORANTS | | | | |
| Double-crested Sp.Su.F | | | | |
| HERONS | | | | |
| Great Blue Sp.Su.F | | | | |
| Green Sp.Su.F | | | | |
| Great Egret Sp.Su.F | | | | |
| Black-crowned Night Sp.Su.F | | | | |
| American Bittern Sp.Su.F | | | | |
| SWANS | | | | |
| Mute Sp.Su.F.W | | | | |
| Trumpeter Sp.F | | | | |
| Tundra Sp.F | | | | |
| GEESE | | | | |
| Canada Sp.Su.F.W | | | | |
| Snow Sp.F | | | | |

Enderis Park Bird Watching Club - Bird Checklist

Symbols used in this list are defined as follows:

Sp - Spring - March to May

Su - Summer - June to August

F - Fall - September to November

W - Winter - December to February



| | X | Date | Location | Environment |
|-------------------------------|----------|------|----------|-------------|
| DUCKS | | | | |
| Mallard Sp.Su.F.W | | | | |
| American Black Sp.Su.F.W | | | | |
| Gadwall Sp.Su.F.W | | | | |
| Northern Pintail Sp.F | | | | |
| Green-winged Teal Sp.F | | | | |
| Blue-winged Teal Sp.Su.F | | | | |
| American Widgeon Sp.Su.F.W | | | | |
| Eurasian Widgeon Sp.Su.F | | | | |
| Northern Shoveler Sp.Su.F | | | | |
| Wood Sp.Su.F | | | | |
| Redhead Sp.F.W | | | | |
| Ring-necked Sp.F.W | | | | |
| Canvasback Sp.F.W | | | | |
| Greater Scaup Sp.F.W | | | | |
| Lesser Scaup Sp.F.W | | | | |
| Common Goldeneye Sp.F. W | | | | |
| Bufflehead Sp.F.W | | | | |
| Long-tailed (oldsquaw) Sp.F.W | | | | |
| Harlequin Sp.F.W | | | | |
| Black Scoter Sp.F.W | | | | |
| Surf Scoter Sp.F.W | | | | |
| White-winged Scoter Sp.F.W | | | | |
| Ruddy Sp.F.W | | | | |
| SANDPIPERS | | | | |
| Sanderling Sp.F | | | | |
| Semipalmated Sp.F | | | | |
| Least Sp.F | | | | |
| Pectoral Sp.F | | | | |
| Dunlin Sp.F | | | | |

Enderis Park Bird Watching Club - Bird Checklist

Symbols used in this list are defined as follows:

Sp - Spring - March to May

Su - Summer - June to August

F - Fall - September to November

W - Winter - December to February



| | X | Date | Location | Environment |
|----------------------------|---|------|----------|-------------|
| GULLS | | | | |
| Herring Sp.Su.F.W | | | | |
| Ring-billed Sp.Su.F.W | | | | |
| Lesser Black-backed Sp.F.W | | | | |
| Great Black-backed Sp.F.W | | | | |
| Bonaparte's Sp.F.W | | | | |
| TERNs | | | | |
| Caspian Sp.F | | | | |
| Common Sp.F | | | | |
| Forster's Sp.Su.F | | | | |
| DOVES | | | | |
| Rock Sp.Su.F.W | | | | |
| Mourning Sp.Su.F.W | | | | |
| CUCKOOS | | | | |
| Black-billed Sp.Su.F | | | | |
| Yellow-billed Sp.Su.F | | | | |
| OWLS | | | | |
| Eastern Screech Sp.Su.F.W | | | | |
| Great Horned Sp.Su.F.W | | | | |
| Snowy Sp.F.W | | | | |
| Short-eared Sp.F.W | | | | |
| NIGHTJARS | | | | |
| Whip-poor-will Sp.Su.F | | | | |
| Common Nighthawk Sp.Su.F | | | | |
| SWIFT | | | | |
| Chimney Swift Sp.Su.F | | | | |
| HUMMINGBIRD | | | | |
| Ruby-throated Sp.Su.F | | | | |
| KINGFISHER | | | | |
| Belted Sp.Su.F | | | | |

Enderis Park Bird Watching Club - Bird Checklist

Symbols used in this list are defined as follows:

Sp - Spring - March to May

Su - Summer - June to August

F - Fall - September to November

W - Winter - December to February



| | X | Date | Location | Environment |
|------------------------------------|----------|------|----------|-------------|
| WOODPECKERS | | | | |
| Northern Flicker Sp.Su.F.W | | | | |
| Red-bellied Sp.Su.F.W | | | | |
| Red-headed Sp.Su.F | | | | |
| Yellow-bellied Sapsucker Sp.Su.F.W | | | | |
| Hairy Sp.Su.F.W | | | | |
| Downy Sp.Su.F.W | | | | |
| KINGLETS | | | | |
| Golden-crowned Sp.F | | | | |
| Ruby-crowned Sp.F | | | | |
| WAXWINGS | | | | |
| Cedar Sp.Su.F.W | | | | |
| Bohemian Sp.F | | | | |
| SHRIKES | | | | |
| Northern W | | | | |
| STARLING | | | | |
| European Sp.Su.F | | | | |
| VIREOS | | | | |
| White-eyed Sp.Su.F | | | | |
| Red-eyed Sp.Su.F | | | | |
| Warbling Sp.Su.F | | | | |

Enderis Park Bird Watching Club - Bird Checklist

Symbols used in this list are defined as follows:

Sp - Spring - March to May

Su - Summer - June to August

F - Fall - September to November

W - Winter - December to February



| | X | Date | Location | Environment |
|------------------------------|----------|------|----------|-------------|
| WARBLERS | | | | |
| Black-and-White Sp.F | | | | |
| Golden-winged Sp.F | | | | |
| Blue-winged Sp.Su.F | | | | |
| Tennessee Sp.F | | | | |
| Nashville Sp.F | | | | |
| Northern Parula Sp.F | | | | |
| Yellow Sp.Su.F | | | | |
| Magnolia Sp.F | | | | |
| Cape May Sp.F | | | | |
| Black-throated Blue Sp.F | | | | |
| Yellow-rumped Sp.F | | | | |
| Black-throated Green Sp.F | | | | |
| Cerulean Sp.Su.F | | | | |
| Blackburnian Sp.F | | | | |
| Chestnut-sided Sp.Su.F | | | | |
| Bay-breasted Sp.F | | | | |
| Blackpoll Sp.F | | | | |
| Pine Sp.F | | | | |
| Palm Sp.F | | | | |
| Ovenbird Sp.Su.F | | | | |
| Northern Waterthrush Sp.F | | | | |
| Louisiana Waterthrush Sp.F | | | | |
| Kentucky Sp.F | | | | |
| Connecticut Sp.F | | | | |
| Mourning Sp.Su.F | | | | |
| Common Yellow-throat Sp.Su.F | | | | |
| Wilson's Sp.F | | | | |
| Canada Sp.F | | | | |
| American Redstart Sp.Su.F | | | | |

Enderis Park Bird Watching Club - Bird Checklist

Symbols used in this list are defined as follows:

Sp - Spring - March to May

Su - Summer - June to August

F - Fall - September to November

W - Winter - December to February



| | X | Date | Location | Environment |
|--------------------------------|---|------|----------|-------------|
| MERGANSERS | | | | |
| Hooded Sp.F.W | | | | |
| Common Sp.F | | | | |
| Red-breasted Sp.F.W | | | | |
| VULTURES | | | | |
| Turkey Vulture Sp.F | | | | |
| EAGLES, HAWKS, FALCONS | | | | |
| Bald Eagle Sp.F.W | | | | |
| Northern Goshawk Sp.F | | | | |
| Sharp-shinned Hawk Sp.Su.F.W | | | | |
| Cooper's Hawk Sp.Su.F.W | | | | |
| Red-tailed Hawk Sp.Su.F.W | | | | |
| Broad-winged Hawk Sp.F | | | | |
| Northern Harrier Sp.Su.F | | | | |
| Osprey Sp.F | | | | |
| Peregrine Falcon Sp.Su.F.W | | | | |
| Merlin Sp.F | | | | |
| American Kestrel Sp.Su.F.W | | | | |
| PHEASANT | | | | |
| Ring-necked Pheasant Sp.Su.F.W | | | | |
| TURKEY | | | | |
| Wild Sp.Su.F.W | | | | |
| CRANES | | | | |
| Sandhill Sp.Su.F | | | | |
| Whooping Sp.F | | | | |
| RAILS, etc. | | | | |
| Virginia Sp.Su.F | | | | |
| Sora Sp.Su.F | | | | |
| Common Moorhen Sp.Su.F | | | | |
| American Coot Sp.Su.F | | | | |

Enderis Park Bird Watching Club - Bird Checklist

Symbols used in this list are defined as follows:

Sp - Spring - March to May

Su - Summer - June to August

F - Fall - September to November

W - Winter - December to February



| | X | Date | Location | Environment |
|-----------------------------|---|------|----------|-------------|
| AVOCET | | | | |
| American Sp.F | | | | |
| PLOVERS | | | | |
| Black-bellied Sp.F | | | | |
| Semipalmated Sp.F | | | | |
| Killdeer Sp.Su.F | | | | |
| SANDPIPERS | | | | |
| Greater Yellowlegs Sp.F | | | | |
| Lesser Yellowlegs Sp.F | | | | |
| Solitary Sp.F | | | | |
| Spotted Sp.Su.F | | | | |
| Ruddy Turnstone Sp.F | | | | |
| American Woodcock Sp.Su.F | | | | |
| Common Snipe Sp.F | | | | |
| Short-billed Dowitcher Sp.F | | | | |
| Long-billed Dowitcher Sp.F | | | | |
| FLYCATCHERS | | | | |
| Eastern Kingbird Sp.Su.F | | | | |
| Great-crested Sp.Su.F | | | | |
| Eastern Phoebe Sp.Su.F | | | | |
| Yellow-bellied Sp.Su.F | | | | |
| Willow Sp.Su.F | | | | |
| Alder Sp.Su.F | | | | |
| Least Sp.Su.F | | | | |
| Eastern Wood Pewee Sp.Su.F | | | | |
| Olive-sided Sp.Su.F | | | | |
| LARK | | | | |
| Horned Sp.Su.F | | | | |

Enderis Park Bird Watching Club - Bird Checklist

Symbols used in this list are defined as follows:

Sp - Spring - March to May

Su - Summer - June to August

F - Fall - September to November

W - Winter - December to February



| | X | Date | Location | Environment |
|-----------------------------------|----------|------|----------|-------------|
| SWALLOWS | | | | |
| Tree Sp.Su.F | | | | |
| Bank Sp.Su.F | | | | |
| Northern Rough-winged Sp.Su.F | | | | |
| Barn Sp.Su.F | | | | |
| Cliff Sp.Su.F | | | | |
| Purple Martin Sp.Su.F | | | | |
| JAYS, CROWS | | | | |
| Blue Jay Sp.Su.F.W | | | | |
| American Crow Sp.Su.F.W | | | | |
| CHICKADEES, NUTHATCHES | | | | |
| Black-capped Chickadee Sp.Su.F.W | | | | |
| Tufted Titmouse Sp.Su.F | | | | |
| White-breasted Nuthatch Sp.Su.F.W | | | | |
| Red-breasted Nuthatch Sp.Su.F.W | | | | |
| Brown Creeper Sp.Su.F | | | | |
| WRENS | | | | |
| Northern House Sp.Su.F | | | | |
| Winter Sp.F | | | | |
| Marsh Sp.Su.F | | | | |
| Sedge Sp.F | | | | |
| MIMIC THRUSHES | | | | |
| Gray Catbird Sp.Su.F | | | | |
| Brown Thrasher Sp.Su.F | | | | |

Enderis Park Bird Watching Club - Bird Checklist

Symbols used in this list are defined as follows:

Sp - Spring - March to May

Su - Summer - June to August

F - Fall - September to November

W - Winter - December to February



| | X | Date | Location | Environment |
|---------------------------------|---|------|----------|-------------|
| THRUSHES | | | | |
| American Robin Sp.Su.F | | | | |
| Wood Sp.Su.F | | | | |
| Hermit Sp.Su.F | | | | |
| Swainson's Sp.F | | | | |
| Gray-cheeked Sp.F | | | | |
| Veery Sp.Su.F | | | | |
| Eastern Bluebird Sp.Su.F | | | | |
| GNATCATCHER | | | | |
| Blue-gray Sp.Su.F | | | | |
| BLACKBIRDS, ORIOLES | | | | |
| Bobolink Sp.Su | | | | |
| Eastern Meadowlark Sp.Su.F | | | | |
| Yellow-headed Blackbird Sp.Su.F | | | | |
| Red-winged Blackbird Sp.Su.F | | | | |
| Orchard Oriole Sp.Su.F | | | | |
| Baltimore Oriole Sp.Su.F | | | | |
| Rusty Blackbird Sp.F | | | | |
| Brewer's Blackbird Sp.F | | | | |
| Brown-headed Cowbird Sp.Su.F | | | | |
| Common Grackle Sp.Su.F | | | | |
| TANAGERS | | | | |
| Scarlet Sp.Su.F | | | | |
| Summer Sp.F | | | | |

Enderis Park Bird Watching Club - Bird Checklist

Symbols used in this list are defined as follows:

Sp - Spring - March to May

Su - Summer - June to August

F - Fall - September to November

W - Winter - December to February



| X | Date | Location | Environment |
|---------------------------------|------|----------|---------------------------------------|
| FINCHES, GROSBEAKS, etc. | | | |
| | | | Northern Cardinal Sp.Su.F.W |
| | | | Red-breasted Grosbeak Sp.Su.F |
| | | | Indigo Bunting Sp.Su.F |
| | | | Dickcissel Sp.Su.F |
| | | | House Finch Sp.Su.F.W |
| | | | Common Redpoll W |
| | | | Pine Siskin W |
| | | | American Goldfinch Sp.Su.F.W |
| | | | Eastern Towhee (Rufous-sided) Sp.Su.F |
| SPARROWS, etc. | | | |
| | | | Savannah Sp.Su.F |
| | | | Grasshopper Sp.F |
| | | | Henslow's Sp.F |
| | | | Vesper Sp.Su.F |
| | | | Dark-eyed Junco Sp.F.W |
| | | | American Tree Sp.F.W |
| | | | Chipping Sp.Su.F |
| | | | Clay-colored Sp.Su.F |
| | | | Field Sp.Su.F |
| | | | White-crowned Sp.F.W |
| | | | White-throated Sp.F.W |
| | | | Fox Sp.F |
| | | | Swamp Sp.Su.F |
| | | | Song Sp.Su.F |
| | | | Snow Bunting W |
| OLD WORLD SPARROWS | | | |
| | | | House Sparrow Sp.Su.F.W |
| | | | |
| | | | |
| | | | |
| | | | |